

Technical specifications
(1/4)

Pey central

By JM Massana - JMTremoleda




Mobles14


Technical specifications

(2/4)

PEY central base $\varnothing 59$ cm and column $\varnothing 12$ cm:



PEY central base $\varnothing 45$ cm and column $\varnothing 8$ cm:



*Metric unit cm

PRODUCT

	Units	Weight
Pey 45-80-60	1	15,5 kg
Pey 45-80-70	1	17,5 kg
Pey 45-80-80	1	19 kg
Pey 59-120-90	1	30,5 kg
Pey 59-120-100	1	32 kg
Pey 59-120-110	1	34,5 kg
Pey 59-120-120	1	38 kg

Technical specifications

(3/4)

PACKAGING

	Units	Weight	Dimensions	Volume
Base				
Base 45 cm	1	8 kg	60x60x7 cm	0.02 m ³
Base 70 cm	1	13kg	74x74x7 cm	0.04 m ³
Column				
Column 8 cm	1	3 kg	78x14x14 cm	0.015 m ³
Column 12 cm	1	5 kg	78x14x14 cm	0.015 m ³
Top				
Top 60 cm	1	4,5 kg	66x66x4 cm	0.01 m ³
Top 70 cm	1	6,5 kg	76x76x4 cm	0.02 m ³
Top 80 cm	1	8 kg	86x86x4 cm	0.03 m ³
Top 90 cm	1	12,5 kg	96x96x4 cm	0.04 m ³
Top 100 cm	1	14 kg	106x106x4 cm	0.05 m ³
Top 110 cm	1	16,5 kg	116x116x4 cm	0.05 m ³
Top 120 cm	1	20 kg	126x126x4 cm	0.06 m ³

All packaging is double recyclable cardboard.

MATERIALS AND COLORS

Structure (steel)



RAL 9002 RAL 9004

Top (HPL) ** Oak and walnut: for models with a ø45 cm base and ø8 cm tube



RAL 9002 RAL 9004 Oak Walnut

Technical specifications

(4/4)

CERTIFICATIONS AND STANDARDS

Top HPL:

Fire classification: UNE-EN 13501-1:2007+A1:2010

High impact resistance: EN 432-2 punt 21

High surface resistance: EN 438-2 punt 25

Flexural resistance: EN ISO 178

Fire resistance: UNE-EN-ISO 11925-2:2011 EN 13823 :2010

MAINTENANCE

Clean with a damp cloth using mild soap and water. Rinse and dry with a dry cloth. Avoid using abrasive products.

MATERIALS AND FINISHES

Base

Circular base made of 5.5 mm thick steel sheet.
For models with an 8 cm tube, the base has a diameter of 45 cm, and for models with a 12 cm tube, the base has a diameter of 59 cm.

In the center of the base, there is a housing to properly place the central column.

Column

Column manufactured with steel tube of 80 mm or 120 mm in diameter and 2 mm thickness, with a height of 688 mm.

At each end, a 4 mm thick plate, laser machined, is welded. There are 3 holes at each end for attaching the tube to the base and the capital.

Capital

Element made of 4 mm thick steel plate, laser machined with various holes, where the tube and the table top are fixed.

The finish of the 3 elements is epoxy powder coating in white RAL 9002 or black RAL 9004, with a 30% matte sheen

Tabletop

For tables with diameters of 60-70-80cm, the tabletop is made of 8 mm thick HPL with rounded edges, finished in white, black, oak, or walnut.

For tables with diameters of 90-100-110-120cm, the tabletop is made of 13 mm thick HPL with rounded edges, finished in white or black.

The underside is machined to allow for positioning and securing of the capital with wood thread screws.